Google™

High Availability servers + increase period or in [Search]   Advanced Search
Preferences

Lowercase **"or"** was ignored. Try **"OR"** to search for either of two terms. [details]

Web Results 21 - 30 of about **63,900** for **High Availability servers + increase period or interval**. (0.27 second

[PPT] Architecting for a Hudson Environment
File Format: Microsoft Powerpoint 97 - View as HTML
... DS - **Increase** Worker Threads for more than 250 **servers**. ... the **server** offsite to make
the License **Server high availability**. ... If using a mix of **servers** for migration ...
www.brianmadden.com/.../ Architecting%20for%20a%20Hudson%20Environment%20MPS%203.0%20-%
20Ron%20Oglesby.ppt - Similar pages

Simplify With COM+ Load Balancing
... your application transaction rate can dramatically **increase** overnight. ... be part of
a Microsoft Cluster **Server** (MSCS) or another **high-availability** cluster to ...
www.ftponline.com/archives/premier/ mgznarch/vbpj/1999/ent99/baen99/baen99.asp - 29k -
Cached - Similar pages

[PDF] **High Availability**, Baselining, Performance Monitoring, and ...
File Format: PDF/Adobe Acrobat - View as HTML
... it up or out to **increase** performance ... Chapter 8: **High Availability**, Baselining, Performance
Monitoring, and ... Planning 329 OsbNetw / Windows **Server** 2003 Clustering ...
searchwin2000.techtarget.com/searchWin2000/ downloads/Win_Serv_03_Clustering_c08_Osborne.pdf -
Similar pages

[PDF] Specifying data **availability** in multi-device file systems
File Format: PDF/Adobe Acrobat - View as HTML
... aspects of such distributed storage **server** designs. ... by almost all proponents of **high
availability** systems: We ... Here is a sample **availability** specification for a ...
www.hpl.hp.com/personal/ John_Wilkes/papers/HPL-CSP-90-6.pdf - Similar pages

Autonomous Replication for **High Availability** in Unstructured P2P ...
... to the importance of even a few **server**-like peers ... excess capacity as well as **high
availability** in communities ... to: (i) achieve the target **availability** with less ...
www.panic-lab.rutgers.edu/Research/ planetp/Publications/PlanetP-replication-SRDS/ - 78k -
Cached - Similar pages

[PDF] Autonomous Replication for **High Availability** in Unstructured P2P ...
File Format: PDF/Adobe Acrobat - View as HTML
... communities are fundamentally different than current **servers**. ... a member decides to
increase the **availability** ... where fragments with **high availability** have higher ...
www.panic-lab.rutgers.edu/Research/ planetp/Publications/DCS-TR-509-Replication.pdf -
Similar pages
[More results from www.panic-lab.rutgers.edu]

High Availability Web Services -SNA/IP Solution - Cisco Systems
... **High** performance accessæ ... affinity already exists, the client is pointed to the **server**
to which ... DFP from the Workload Agent to learn the **availability** and weight ...
www.cisco.com/en/US/netsol/ns340/ns394/ns74/
ns144/networking_solutions_white_paper09186a00800b423a.shtml - 101k - Cached - Similar pages
[More results from www.cisco.com]

Tuning WebLogic **Server**
... to a cluster dynamically to **increase** capacity ... A WebLogic **Server** cluster guarantees
high-availability by using the redundancy of multiple **servers** to insulate ...

edocs.bea.com/wls/docs81/perform/WLSTuning.html - 75k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from edocs.bea.com</u>]

Protocols and Analysis for **High**-Frequency And Composite-Frequency ...
... no such **available server** but the **server** is actually ... to provide the information whenever
it becomes **available**. ... class that consists of the **high** frequency and low ...
www.securityoffice.net/mssecrets/ aladdin/aladdin_lookup.html - 101k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>03-177 ESK_book_r07_FIN</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... HP **servers** running Microsoft Windows* **Server** 2003 Datacenter ... with higher levels of
availability and reliability ... dynamically add flights to **high**-demand cities ...
www.intel.com/business/ bss/products/server/enterprise.pdf - <u>Similar pages</u>

◀ Gooooooooooogle ▶
Result Page: **Previous** <u>1</u> <u>2</u> **3** <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u><u>12</u>   **Next**

| High Availability servers + increase p | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google

Google™

High Availability servers + heartbeat | Search | Advanced Search
Preferences

Web   Results **71 - 80** of about **44,900** for **High Availability servers + heartbeat**. (0.24 seconds)

ShaoLin Microsystems -- Products : ShaoLin HA Cluster
... and reliable kernel level **heartbeat** technology, ShaoLin HA Cluster
makes **high availability** clustering easy ... on ShaoLin HA Cluster
server are allowed to ...
www.shaolinmicro.com/product/ hacluster/feature_benefit.php - 33k -
Cached - Similar pages

Rainfinity : Products : Data Sheets : RainWall for ISA Server
... ISA **Server** and clusters multiple ISA **Servers** to act ... RainWall provides **high
availability** and load balancing benefits to ... interface, so that a **heartbeat** cable is ...
www.rainfinity.com/products/ds_rainwall_isa.html - 23k - Jul 9, 2004 -
Cached - Similar pages

Configurazione di un cluster con Linux High Availability - [Translate this page]
... di un cluster con Linux **High Availability**, / 4- ADVANCED. ... Linux con un meccanismo
di **High** Availabity ... due cessa di 'battere', **Heartbeat** sul **server** rimanente esegue ...
www.openskills.info/view/boxdetail.php?IDbox=966 - 23k - Cached - Similar pages

[PDF] Ensuring Linux Availability
File Format: PDF/Adobe Acrobat
... All **high availability** software products can detect problems with cluster **server**
functionality. This is done by sending **heartbeat** signals between **servers** within ...
www.steeleye.com/pdf/literature/WPA-Ensuring_ Application_Availability_Final_06-23-
03.pdf - Similar pages

Creating Linux Web Farms (Linux High Availability and Scalability)
... I would like to acknowledge the support of the the people involved in Linux **High
Availability** and The Linux Virtual **Server** Project, in particular Alan Robertson ...
www.vergenet.net/linux/has/html/ - 10k - Cached - Similar pages
[More results from www.vergenet.net]

[PDF] NeGeCo Implements HA Cluster Solution with SuSE Linux Enterprise ...
File Format: PDF/Adobe Acrobat - View as HTML
... The **servers** use a serial **heartbeat** channel to ... that SuSE Linux Enterprise **Server**
meets these ... an economical- ly meaningful solution." **High Availability** at a ...
www.suse.com/en/company/ customer_references/pdf/poeschl.pdf - Similar pages

[PDF] Layout 1
File Format: PDF/Adobe Acrobat - View as HTML
... of this with a redundant NFS **server** and a ... ensuring fire- wall security and **availability**
and taking ... Sysadmin's Daily Grind: DRBD **High-Availability** Linux In ...
www.linux-magazine.com/issue/33/Charly_Column.pdf - Similar pages
[More results from www.linux-magazine.com]

[PDF] High Availability Keeps 40,000 Government Users Secure
File Format: PDF/Adobe Acrobat - View as HTML
... antivirus gateways and content scanning **servers**. ... reliability and performance **High
availability** through redun ... utilization of **available** computing resources Online ...
www.stonesoft.com/files/products/ StoneBeat/SB_WA_DoIT_Case_Study.pdf -
Similar pages

Sponsored Links

[PDF] Joshua W Smith
File Format: PDF/Adobe Acrobat - View as HTML
... Cluster - a kind of **high**-performance massively ... to LVS • Mon - monitor real **servers** •
Heartbeat - ensures director **availability** • Fake - backup ...
www.usd.edu/~jossmith/colloquium.pdf - Similar pages

Re: **High Availability**..
... Abrahamsson <roger@obbit.se>; Subject: Re: **High Availability**.. ... net) which
incorporates LVS and **heartbeat**. ... a large promotional site, **servers** where
maintanenced ...
lists.debian.org/debian-isp/2000/10/msg00047.html - 5k - Cached - Similar pages

◀ Gooooooooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17   **Next**

| High Availability servers + heartbeat | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Google™

| High Availability servers + workload | Search | Advanced Search Preferences |

Web   Results 1 - **10** of about **126,000** for **High Availability servers + workload**. (1.01 seconds)

Remote Server Monitoring   Sponsored

www.AlertSite.com   Measure Performance & **Availability**! Get SMS, Pager, Email & Cell Alerts   Link

Sponsored Links

High Availability Overview: Business Continuance through High ...

... **server** assumes the failed **server's workload** and continues ... In
addition, the **servers** and storage devices are ... Figure 6. A **high-availability** clustering model with ...
www.brocade.com/products/**high-availability**-overview.jsp - 33k - Jul 9,
2004 - Cached - Similar pages

iSCSI Storage
Cost effective IP SAN solutions to
manage storage on Ethernet networks
www.sanrad.com

See your message here...

Licensing Distributed DB2 Version 8 **Servers** in a **High Availability** ...

... Licensing in a **high-availability** environment depends on your answer to ... to take the
work of two **servers** in the ... The data **availability** needs of your business will ...
www-106.ibm.com/developerworks/db2/
library/techarticle/0301zikopoulos/0301zikopoulos.html - 37k - Cached - Similar pages

Server suits multi-server, high-availability environments. - IBM ...

... Model 810 production **server**, with iSeries™ for **High Availability**, can be actively
deployed for **workload** distribution and regular role swapping. ...
www.industrialnewsroom.com/fullstory/30940 - 40k - Cached - Similar pages

High Availability and Load Balancing for ISA Server

... automatic fail-over, and dynamically balances the ISA **Server workload** in the ... Internet
access, offers a total solution that extends **high availability** to your ...
www.serverfiles.com/Microsoft-server-add-on-software/ ISA-server-software/High-Avail.-&-
Load-Bal./ - 22k - Jul 9, 2004 - Cached - Similar pages

Dell High Availability Clustering

... a **server** by re-allocating its **workload** among the other **servers** in the ... may also be
used to re-balance **workload** within a ... Microsoft ® **High Availability** Clusters. ...
www1.us.dell.com/content/topics/global.aspx/ solutions/en/clustering_ha?
c=us&l=en&s=gen&~tab=2 - 34k - Cached - Similar pages

High Availability Server Clustering Solutions

... By using **high availability server** clustering in storage environments ... If one **server**
goes down, the second takes over while still maintaining its own **workload**. ...
www.intel.com/update/contents/sv09023.htm - 53k - Cached - Similar pages

[PDF] Clustering: A high Availability Solution

File Format: PDF/Adobe Acrobat - View as HTML
... if it were a single **high**-performance and ... Thus clustering ensures **availability** by
automatically restoring ... services following the failure of individual **servers**. ...
www.wipro.co.in/whitepaper/cluster-**highavailability**.pdf - Similar pages

Microsoft PressPass - Microsoft Demonstrates Advances in High ...

... III Xeon **server**, Sequent's **workload** management tool ... to cluster and manage up to
eight **servers**. ... Microsoft announced new **high-availability** resources including ...
www.microsoft.com/presspass/ press/1999/May99/EntTechPR.asp - 15k -
Cached - Similar pages

e-Pro Magazine
... Clustering two or more **servers** to back up critical applications is a cost-effective **high-availability** option that **...** to a cluster to share a growing **workload**. **...**
www.e-promag.com/eparchive/ index.cfm?
fuseaction=viewarticle&ContentID=2627&websiteid= - 57k - Cached - Similar pages

HP 9000 rp4440-8 **server** - overview & features
... and HP Event Monitoring Service **High Availability** Toolkits HP **...** Processor for comprehensive remote **server** management of HP **... Workload** management: HP-UX 11i v1 Kernel **...**
www.hp.com/products1/**servers**/ rackoptimized/rp4440/overview.html - 63k -
Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

High Availability servers + heartbeat ⬚ Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

L Number	Hits	Search Text	DB	Time stamp
1	29330	high$5 near2 availabl$5	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:24
2	5469	(high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:26
3	840	((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:34
4	25	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:28
5	88	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:33
6	53	((((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:34
7	30	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:41

C:\APPS\EAST\Workspaces\09475147amd4.wsp

8	18	((((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:42
9	58	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:51
10	32	((((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:58
11	57377	709/$.ccls. or 714/$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
12	315	(709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
13	34	((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:35

14		34	((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:10
15		77	((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (heartbeat$5 or heart adj1 beat or alive or notification or signal)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:57
16		47	(((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (heartbeat$5 or heart adj1 beat or alive or notification or signal)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11
17		28	((((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (heartbeat$5 or heart adj1 beat or alive or notification or signal)) and @ad<20000715) not (((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:58

18	243	((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11
19	75	(((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (heartbeat$5 or heart adj1 beat or alive or notification or signal)) and (((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11
20	46	((((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (heartbeat$5 or heart adj1 beat or alive or notification or signal)) and (((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification))) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11

| 21 | 79 | ((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5) same (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification) | USPAT; US-PGPUB; EPO; DERWENT | 2004/07/10 19:35 |
| 22 | 9 | (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5) same (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3 or repeat$4) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) | USPAT; US-PGPUB; EPO; DERWENT | 2004/07/10 19:35 |

C:\APPS\EAST\Workspaces\09475147amd4.wsp

L Number	Hits	Search Text	DB	Time stamp
1	29330	high$5 near2 availabl$5	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:24
2	5469	(high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:26
3	840	((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:26
4	25	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:28
5	88	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:33
6	53	((((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:34
7	30	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:41

C:\APPS\EAST\Workspaces\09475147amd4.wsp

8	18	((((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:42
9	58	(((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:51
10	32	((((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:49
11	57377	709/$.ccls. or 714/$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
12	315	(709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
13	34	((709/$.ccls. or 714/$.ccls.) and (((high$5 near2 availabl$5) same (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5)) and (load$5 or workload$5) near5 (server or application or cluster$5 or distribut$5 or fault or fail$5 or toleran$5))) and (adjust$5 or modif$6 or increas$3 or decreas$4 or shorten$3 or low$3 or updat$5 or chang$3) near5 (heartbeat$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit$5 or timestamp or frequen$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:51

C:\APPS\EAST\Workspaces\09475147amd4.wsp